
## TimberLOK SCREW DETAIL

**TimberLOK** 

MiTek Industries, Chesterfield, MO

Page 1 of 1




MiTek Industries, Inc.

## NOTES:

- 1. USE A 6" MiTek TimberLOK SCREW.
- 2. DRIVE FASTENER THROUGH UNDERSIDE OF THE TOP PLATE AT A 22-1/2 DEGREE ANGLE
- (+/- 5 DEGREE) AND INTO THE CENTER OF THE TRUSS.


  3. FASTENER MUST BE DRIVEN INTO THE CENTER OF THE 1-1/2" TRUSS CHORD EDGE (+/- 1/4") WITH THE THREADS FULLY ENGAGED IN THE TRUSS CHORDS (BOTTOM CHORD, TOP CHORD OR BOTH ARE ACCEPTABLE).
- 4. BRING THE FASTENER HEAD FLUSH WITH THE WOOD SURFACE.

## **DETAIL A**



WHERE THE TRUSS IS ALIGNED DIRECTLY OVER THE WALL STUD, INSERT FASTENER POINT WHERE THE BOTTOM OF THE TOP PLATE AND THE TOP OF THE STUD MEET.

## **DETAIL B**



WHERE THE TRUSS IS LOCATED BETWEEN TWO STUDS, INSERT FASTENER POINT ON BOTTOM SURFACE OF THE TOP PLATE NO GREATER THAN 1/2" FROM THE INSIDE EDGE OF THE PLATE.

| TimberLOK Design Loads for Truss to Top Plate Connections (lb. |  |   |  |  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|
|  |  | _ |  |  |  |  |  |  |

| Wood Species   | SPF/HF |                   | Douglas Fir |                   | Southern Pine |                   |
|----------------|--------|-------------------|-------------|-------------------|---------------|-------------------|
| Load Type      | Uplift | Lateral/<br>Shear | Uplift      | Lateral/<br>Shear | Uplift        | Lateral/<br>Shear |
| Allowable Load | 420    | 320               | 540         | 380               | 620           | 410               |

A STANDARD WIND LOAD DURATION FACTOR OF 1.6 HAS BEEN APPLIED TO THESE VALUES PER NDS TABLE 2.3.2